

Clone Setting items

Rev.1.0

[INPUT]

- INPUT SETTINGS
 - INPUT NAME
 - AUTO INPUT CHANGE

[INPUT-ADVANCED]

- Display Port
 - DisplayPort VERSION
 - HDCP VERSION
 - HDR
- HDMI
 - HDMI MODE
 - HDCP VERSION
 - HDR
- SIGNAL FORMAT
 - OVERSCAN
 - VIDEO RANGE
 - COLORIMETRY
- CEC
 - CEC
 - POWER CONTROL LINK
 - AUDIO RECEIVER
- BACKGROUND COLOR

[PICTURE]

(SVE = OFF)

- PICTURE MODE
- BACKLIGHT
- VIDEO BLACK LEVEL
- GAMMA
 - GAMMA
 - AUTO HDR SELECT
- COLOR
 - COLOR
 - COLOR TEMP
 - RGB GAIN
 - COLOR CONTROL
- CONTRAST

(SVE = ON)

- PICTURE MODE
 - PICTURE MODE
 - PRESET
 - LUMINANCE
 - BLACK
 - GAMMA
 - CUSTOM VALUE
 - SYSTEM GAMMA
 - PEAK LUMI.
 - WHITE
 - RED
 - GREEN
 - BLUE
- EMULATION
 - COLOR VISION EMU.
- 6 AXIS COLOR TRIM
 - RED
 - YELLOW
 - GREEN

- CYAN
- BLUE
- MAGENTA
- UNIFORMITY
 - UNIFORMITY

(COMMON)

- BACKLIGHT DIMMING
- SPECTRAVIEW ENGINE
 - SPECTRAVIEW ENGINE
 - NUMBER OF PICT. MODES
 - METAMERISM

[PICTURE-ADVANCED]

- UHD UPSCALING
- SHARPNESS
- ASPECT
 - ASPECT SETTINGS
 - ZOOM
- ADAPTIVE CONTRAST
- UNIFORMITY
- AUTO DIMMING
 - AUTO BRIGHTNESS
 - AMBIENT LIGHT SENSING
 - HUMAN SENSING
- TILE MATRIX
 - H MONITORS
 - V MONITORS
 - TILE COMP
- IMAGE FLIP
 - IMAGE FLIP
- MULTI PICTURE
 - MULTI PICTURE MODE
 - AUDIO
 - ACTIVE PICTURE
 - ACTIVE FRAME

- PICTURE SIZE
- PICTURE POSITION
- ROTATE
 - ROTATE ALL
 - PICTURE1
 - PICTURE2

[AUDIO]

- AUDIO MODE
- VOLUME
- BALANCE
 - STEREO/MONO
 - BALANCE
 - SURROUND
- EQUALIZER
 - TREBLE
 - BASS

[AUDIO-ADVANCED]

- LINE OUT
- AUDIO INPUT
- INTERNAL SPEAKER

[SCHEDULE]

- SCHEDULE SETTINGS
 - SETTINGS
 - POWER
 - TIME
 - INPUT
 - DATE
 - EVERY WEEK
- OFF TIMER

[SLOT]

(OPTION)

- POWER SETTING
 - AUTO SHUTDOWN

(COMPUTE MODULE)

- POWER SETTING
 - AUTO SHUTDOWN
- ADVANCED SETTING
 - SHUTDOWN SIGNAL
 - IR SIGNAL
 - MONITOR CONTROL
 - WDT
- SLOT POWER

[NETWORK]

- NETWORK INTERFACE
 - INTERFACE
- NETWORK SERVICES
 - SERVICES

[PROTECT]

- POWER SAVE SETTINGS
 - POWER SAVE
 - TIME SETTING
 - POWER SAVE MESSAGE
 - QUICK START
- THERMAL MANAGEMENT
 - FAN CONTROL
 - FAN SPEED
- SCREEN SAVER
 - GAMMA
 - MOTION
 - INTERVAL
 - RANGE
- POWER ON DELAY
 - DELAY TIME
 - LINK TO ID
- LOCK SETTINGS
 - SELECT
 - MODE
 - POWER
 - VOLUME
 - MIN VOL
 - MAX VOL
 - INPUT

[SYSTEM]

- DATE & TIME
 - TIME ZONE
 - INTERNET TIME SERVER
 - YEAR
 - MONTH
 - DAY
 - TIME
- DAYLIGHT SAVING
 - DAYLIGHT SAVING
 - BEGIN MONTH
 - END MONTH
 - TIME DIFFERENCE
- EXTERNAL CONTROL
 - PORT
- LANGUAGE
- OSD
 - OSD POSITION
 - INFORMATION OSD
 - COMMUNICATION INFO.
 - OSD TRANSPARENCY
 - OSD ROTATION
 - KEY GUIDE
- POWER INDICATOR
- MUTE SETTING
 - AUDIO
 - VIDEO
 - AUDIO & VIDEO
- USB
 - PC SOURCE
 - USB POWER
 - USB-C SETTING

[HTTP SERVER]

- NAME SETTINGS
 - DOMAIN NAME
- PROXY SETTINGS
 - PROXY
 - HTTP
 - HTTPS
 - EXCEPTION ADDRESS
- IP/MAC FILTER
 - IP/MAC FILTER
 - IP FILTER SETTINGS
 - MAC FILTER SETTINGS
- IEEE802.1X SETTINGS
 - AUTHENTICATION
 - METHOD
 - PEAP
 - TLS
- PC CONTROL SETTINGS
 - PC CONTROL
 - PC CONTROL SECURE
- HTTP SERVER SETTINGS
 - HTTP
 - HTTPS
 - REST API
- SNMP SETTINGS
 - SNMP
 - SNMP VERSION
 - COMMUNITY NAME 1 - 3
 - USER 1 – 3
 - TRAP
- AMX SETTINGS
 - AMX BEACON
- Crestron Connected
 - Crestron Connected
 - MODE TYPE *1
 - AUTO DISCOVERY

- XiO Cloud
- SEARCH SETTINGS
 - SEARCH
 - PORT

*1 All items of MODE TYPE will be copied.